Exhibit D

Westlaw.

DWPL 1993-169102   Page 1
DWPL 1993-169102, 1991 WL 11517946 (DWPL)

Derwent World Patents Legal

CONTROL APPTS. FOR DISPLAY OF MULTIPLE IMAGES FROM DIGITAL IMAGE DATA BASE - HAS
SEVERAL MEMORIES FOR STORING IMAGES TO BE DISPLAYED ON DIVIDABLE SCREEN SECTIONS.

Patent Assignee(s): EASTMAN KODAK CO (EAST)

Inventor(s): FUNSTON D L; PARULSKI K A

Priority Application(s)(No Type Date): 1991 US-796207 A 19911122; 1994 US-202853 A
19940225

No. of Countries: 5

No. of Patents: 6

Latest Derwent Update: 200172

First Derwent Appearance: 199321

PATENT FAMILY

Patent Number: EP 543414 A2 19930526

Patent Assignee(s): EASTMAN KODAK COMPANY, 343 State Street, Rochester, New York
14650-2201, US(EAST)

Attorney or Agent: Wagner, Karl H. et al, WAGNER & GEYER Patentanwaelte
Gewuerzmuehlstrasse 5 Postfach 246, W-8000 Muenchen 22, DE

Application Number(s): 1992 EP-119834 A2 19921120 (Local filing, Local application); 1992 EP-119834 A2 19921120 (Local filing, Local application); 1992 EP-119834 A2 19921120 (Local filing, Local application)

Original Title: Verfahren und Vorrichtung zur Steuerung der schnellen Wiedergabe
von mehreren Bildern aus einem digitalen Bildmassenspeicher (German); Method and
apparatus for controlling rapid display of multiple images from a digital image
database (English); Procede et appareil pour la commande d'un affichage rapide de
plusieurs images d'une base de donnees d'images numerique (French)

Language: English

Page(s): 20

Designated States: (Regional): DE FR GB IT NL

IPC (Current): 2006-01-01 G06F-17/30 (A, R, L, I, M) EP 2005-10-08; 2006-01-01

DWPL 1993-169102   Page 2
DWPL 1993-169102, 1991 WL 11517946 (DWPL)

G06F-17/30 (C, R, L, I, M) EP 2005-10-08; 2006-01-01 G06T-11/80 (A, R, L, I, M) JP
2005-12-20; 2006-01-01 G06T-11/80 (C, R, L, I, M) JP 2005-12-20; 2006-01-01
G06T-3/00 (C, R, L, I, M) JP 2005-12-20; 2006-01-01 G06T-3/60 (A, R, L, I, M) JP
2005-12-20; 2006-01-01 G11B-27/031 (C, R, L, I, M) EP 2005-10-08; 2006-01-01
G11B-27/034 (A, R, L, I, M) EP 2005-10-08; 2006-01-01 G11B-27/10 (A, R, L, I, M)
EP 2005-10-08; 2006-01-01 G11B-27/10 (C, R, L, I, M) EP 2005-10-08; 2006-01- 01
G11B-27/32 (A, R, L, I, M) EP 2005-10-08; 2006-01-01 G11B-27/32 (C, R, L, I, M) EP
2005-10-08; 2006-01-01 G11B-27/34 (A, R, L, N, M) EP 2005-10-08; 2006-01- 01
G11B-27/34 (C, R, L, N, M) EP 2005-10-08; 2006-01-01 H04N-5/907 (A, R, L, I, M) JP
2005-12-20; 2006-01-01 H04N-5/907 (C, R, L, I, M) JP 2005-12-20; 2006-01- 01
H04N-5/937 (A, R, L, I, M) JP 2005-12-20; 2006-01-01 H04N-5/937 (C, R, L, I, M) JP
2005-12-20

IPC (Original): G06F-15/401

Derwent Appearance: 199321 Basic Patent

Patent Number: EP 543414 A3 19940202

Patent Assignee(s): EASTMAN KODAK CO(EAST)

Application Number(s): 1992 EP-119834 A2 19921120 (Local filing, Local applica-
tion); 1992 EP-119834 A2 19921120 (Local filing, Local application); 1992 EP-
119834 A2 19921120 (Local filing, Local application)

Language: English

IPC (Current): 2006-01-01 G06F-17/30 (A, R, L, I, M) EP 2005-10-08; 2006-01-01
G06F-17/30 (C, R, L, I, M) EP 2005-10-08; 2006-01-01 G06T-11/80 (A, R, L, I, M) JP
2005-12-20; 2006-01-01 G06T-11/80 (C, R, L, I, M) JP 2005-12-20; 2006-01-01
G06T-3/00 (C, R, L, I, M) JP 2005-12-20; 2006-01-01 G06T-3/60 (A, R, L, I, M) JP
2005-12-20; 2006-01-01 G11B-27/031 (C, R, L, I, M) EP 2005-10-08; 2006-01-01
G11B-27/034 (A, R, L, I, M) EP 2005-10-08; 2006-01-01 G11B-27/10 (A, R, L, I, M)
EP 2005-10-08; 2006-01-01 G11B-27/10 (C, R, L, I, M) EP 2005-10-08; 2006-01- 01
G11B-27/32 (A, R, L, I, M) EP 2005-10-08; 2006-01-01 G11B-27/32 (C, R, L, I, M) EP
2005-10-08; 2006-01-01 G11B-27/34 (A, R, L, N, M) EP 2005-10-08; 2006-01- 01
G11B-27/34 (C, R, L, N, M) EP 2005-10-08; 2006-01-01 H04N-5/907 (A, R, L, I, M) JP
2005-12-20; 2006-01-01 H04N-5/907 (C, R, L, I, M) JP 2005-12-20; 2006-01- 01
H04N-5/937 (A, R, L, I, M) JP 2005-12-20; 2006-01-01 H04N-5/937 (C, R, L, I, M) JP
2005-12-20

IPC (Original): G06F-15/401

Derwent Appearance: 199518

Patent Number: US 5414811 A 19950509

Patent Assignee(s): Eastman Kodak Company(EAST)

DWPL 1993-169102   Page 3
DWPL 1993-169102, 1991 WL 11517946 (DWPL)

Attorney or Agent: Woods, David M.

Application Number(s): 1991 US-796207 A631 19911122 (Continuation of US application); 1994 US-202853 A2 19940225 (Local filing, Local application)

Original Title: Method and apparatus for controlling rapid display of multiple images from a digital image database (English)

Language: English

Page(s): 15

IPC (Current): 2006-01-01 G06F-17/30 (A, R, L, I, M) EP 2005-10-08; 2006-01-01 G06F-17/30 (C, R, L, I, M) EP 2005-10-08; 2006-01-01 G06T-11/80 (A, R, L, I, M) JP 2005-12-20; 2006-01-01 G06T-11/80 (C, R, L, I, M) JP 2005-12-20; 2006-01-01 G06T-3/00 (C, R, L, I, M) JP 2005-12-20; 2006-01-01 G06T-3/60 (A, R, L, I, M) JP 2005-12-20; 2006-01-01 G11B-27/031 (C, R, L, I, M) EP 2005-10-08; 2006-01-01 G11B-27/034 (A, R, L, I, M) EP 2005-10-08; 2006-01-01 G11B-27/10 (A, R, L, I, M) EP 2005-10-08; 2006-01-01 G11B-27/10 (C, R, L, I, M) EP 2005-10-08; 2006-01- 01 G11B-27/32 (A, R, L, I, M) EP 2005-10-08; 2006-01-01 G11B-27/32 (C, R, L, I, M) EP 2005-10-08; 2006-01-01 G11B-27/34 (A, R, L, N, M) EP 2005-10-08; 2006-01- 01 G11B-27/34 (C, R, L, N, M) EP 2005-10-08; 2006-01-01 H04N-5/907 (A, R, L, I, M) JP 2005-12-20; 2006-01-01 H04N-5/907 (C, R, L, I, M) JP 2005-12-20; 2006-01- 01 H04N-5/937 (A, R, L, I, M) JP 2005-12-20; 2006-01-01 H04N-5/937 (C, R, L, I, M) JP 2005-12-20

IPC (Original): G06F-15/00

IPC (U.S.A Original): 395/162; 395/164; 395/137; 382/296

Derwent Appearance: 199524

Patent Number: EP 543414 B1 20010718

Patent Assignee(s): EASTMAN KODAK COMPANY, 343 State Street, Rochester, New York 14650-2201, US(EAST)

Attorney or Agent: Pohle, Reinhard, Dipl.-Phys., c/o Kodak Aktiengesellschaft, Patent Department, 70323 Stuttgart, DE

Application Number(s): 1992 EP-119834 A2 19921120 (Local filing, Local application); 1992 EP-119834 A2 19921120 (Local filing, Local application); 1992 EP-119834 A2 19921120 (Local filing, Local application)

Original Title: Verfahren und Vorrichtung zur Steuerung der schnellen Wiedergabe von mehreren Bildern aus einem digitalen Bildmassenspeicher (German); Method and apparatus for controlling rapid display of multiple images from a digital image database (English); Procédé et appareil pour la commande d'un affichage rapide de

DWPL 1993-169102   Page 4
DWPL 1993-169102, 1991 WL 11517946 (DWPL)

plusieurs images d'une base de données d'images numérique (French)

Language: English

Designated States: (Regional): DE FR GB NL

IPC (Current): 2006-01-01 G06F-17/30 (A, R, L, I, M) EP 2005-10-08; 2006-01-01
G06F-17/30 (C, R, L, I, M) EP 2005-10-08; 2006-01-01 G06T-11/80 (A, R, L, I, M) JP
2005-12-20; 2006-01-01 G06T-11/80 (C, R, L, I, M) JP 2005-12-20; 2006-01-01
G06T-3/00 (C, R, L, I, M) JP 2005-12-20; 2006-01-01 G06T-3/60 (A, R, L, I, M) JP
2005-12-20; 2006-01-01 G11B-27/031 (C, R, L, I, M) EP 2005-10-08; 2006-01-01
G11B-27/034 (A, R, L, I, M) EP 2005-10-08; 2006-01-01 G11B-27/10 (A, R, L, I, M)
EP 2005-10-08; 2006-01-01 G11B-27/10 (C, R, L, I, M) EP 2005-10-08; 2006-01- 01
G11B-27/32 (A, R, L, I, M) EP 2005-10-08; 2006-01-01 G11B-27/32 (C, R, L, I, M) EP
2005-10-08; 2006-01-01 G11B-27/34 (A, R, L, N, M) EP 2005-10-08; 2006-01- 01
G11B-27/34 (C, R, L, N, M) EP 2005-10-08; 2006-01-01 H04N-5/907 (A, R, L, I, M) JP
2005-12-20; 2006-01-01 H04N-5/907 (C, R, L, I, M) JP 2005-12-20; 2006-01- 01
H04N-5/937 (A, R, L, I, M) JP 2005-12-20; 2006-01-01 H04N-5/937 (C, R, L, I, M) JP
2005-12-20

IPC (Original): G06F-17/30

Derwent Appearance: 200142

Patent Number: DE 69231942 E 20010823

Patent Assignee(s): EASTMAN KODAK CO; US(EAST)

Application Number(s): 1992 DE-631942 A2 19921120 (Local filing, Local applica-
tion); 1992 EP-119834 A861 19921120 (EP Application)

Related: Based on EP 543414 A

Language: German

IPC (Current): G06F-17/30

IPC (Original): G06F-17/30

Derwent Appearance: 200156

Patent Number: JP 3226353 B2 20011105

Application Number(s): 1992 JP-313656 A2 19921124 (Local filing, Local applica-
tion)

Related: Previous Publ JP 07013971 A

Language: Japanese

DWPL 1993-169102   Page 5
DWPL 1993-169102, 1991 WL 11517946 (DWPL)

Page(s): 13

IPC (Current): 2006-01-01 G06F-17/30 (A, R, L, I, M) EP 2005-10-08; 2006-01-01
G06F-17/30 (C, R, L, I, M) EP 2005-10-08; 2006-01-01 G06T-11/80 (A, R, L, I, M) JP
2005-12-20; 2006-01-01 G06T-11/80 (C, R, L, I, M) JP 2005-12-20; 2006-01-01
G06T-3/00 (C, R, L, I, M) JP 2005-12-20; 2006-01-01 G06T-3/60 (A, R, L, I, M) JP
2005-12-20; 2006-01-01 G11B-27/031 (C, R, L, I, M) EP 2005-10-08; 2006-01-01
G11B-27/034 (A, R, L, I, M) EP 2005-10-08; 2006-01-01 G11B-27/10 (A, R, L, I, M)
EP 2005-10-08; 2006-01-01 G11B-27/10 (C, R, L, I, M) EP 2005-10-08; 2006-01- 01
G11B-27/32 (A, R, L, I, M) EP 2005-10-08; 2006-01-01 G11B-27/32 (C, R, L, I, M) EP
2005-10-08; 2006-01-01 G11B-27/34 (A, R, L, N, M) EP 2005-10-08; 2006-01- 01
G11B-27/34 (C, R, L, N, M) EP 2005-10-08; 2006-01-01 H04N-5/907 (A, R, L, I, M) JP
2005-12-20; 2006-01-01 H04N-5/907 (C, R, L, I, M) JP 2005-12-20; 2006-01- 01
H04N-5/937 (A, R, L, I, M) JP 2005-12-20; 2006-01-01 H04N-5/937 (C, R, L, I, M) JP
2005-12-20

IPC (Original): H04N-5/907; G06F-17/30

Derwent Appearance: 200172

ABSTRACT: EP 543414 A2

The appts. is used in conjunction with a digitised image processing system in
which images are digitised and stored as image data files in a digital database.
The images are accessed from the database and provided to an output for display on
an image reproduction device.

ADVANTAGE - Responsive to user commands with minimum time delay. Capable of dis-
playing multiple images simultaneously.

FIG. 3

CLAIMS: EP 543414 A2

1. An apparatus, for use with a digitized image processing system in which images
are digitized as image data which is stored as digitized image data files in a di-

DWPL 1993-169102   Page 6
DWPL 1993-169102, 1991 WL 11517946 (DWPL)

gital database, for controlling the manner in which the digitized images are ac-
cessed from the image data files in the digital database and provided to an output
of the apparatus for display on an image reproduction device, the apparatus com-
prising: a plurality of image memories; and program means, responsive to user com-
mands, for reading selected image data files and storing the image data in re-
spective ones of the image memories for display on an image reproduction device.

CLAIMS: US 5414811 A

A method, for use with a digital image processing system including a digital data-
base having a plurality of images digitized as image data and stored in respective
image data files therein, a plurality of image memories, and an output for coup-
ling thereto an image display device having a screen for display of images, for
controlling the display of the images, the method comprising the steps of: defin-
ing the screen to contain a plurality of sections; selecting a plurality of image
data files; reading image data from the selected plurality of image data files and
loading the image data into respective image memories; allocating at least two im-
age memories containing image data to at least two sections of the screen, re-
spectively; displaying the image data from the at least two image memories on the
respective screen sections; selecting a plurality of the images displayed on the
screen sections for manipulation; and manipulating each of the selected images re-
sponsive to a single user command so that each selected image is manipulated in
the same way at the same time.

CLAIMS: EP 543414 B1

Gerät zur digitalen Bildspeicherung und -anzeige, mit einem Langzeitspeicher   (40)
zum Speichern einer Folge digitaler Bilddateien (21H, 21D - 25H, 25D), einer
Vielzahl von Kurzzeitspeichern (50 - 53) zum vorübergehenden Speichern aus dem
Langzeitspeicher (40) ausgelesener digitaler Bilddateien, einem Bilddisplay (22)
zum Anzeigen der Bilder in den Kurzzeitspeichern, und mit Steuermitteln, die auf
einen Anfangsbefehl zum Betrachten eines von einem Anwender ausgewählten Bildes
reagieren, um zu bewirken, dass die Bilddatei für das betreffende Bild und eine
oder mehrere andere Bilddateien, die in der Folge dem vom Anwender ausgewählten
Bild benachbart sind, vom Langzeitspeicher (40) in die Kurzzeitspeicher (50 - 53)
übertragbar sind, **dadurch gekennzeichnet,** dass die Kurzzeitspeicher (50 - 53) eine
ausreichende Speicherkapazität zum Speichern einer kleinen Anzahl (beispielsweise
4) von Bildem haben, und dass die Steuermittel auf einen Befehl zum Anzeigen des
nächsten oder vorhergehenden Bildes reagieren, um die Bilddatei für ein nächstes
oder vorhergehendes Bild, das in der Folge den Bildern in den Kurzzeitspeichern
(50 - 53) benachbart ist, aus dem Langzeitspeicher (40) in einen der Kurzzeit-
speicher (50 - 53) zu übertragen.

Title Terms: CONTROL; APPARATUS; DISPLAY; MULTIPLE; IMAGE; DIGITAL; DATA; BASE;
MEMORY; STORAGE; SCREEN; SECTION

DWPL 1993-169102   Page 7
DWPL 1993-169102, 1991 WL 11517946 (DWPL)

Derwent Accession Number: 1993-169102

Derwent Class: (Electrical):T01

IPC (Current): G06F-17/30; 2006-01-01 G06F-17/30 (A, R, I); 2006-01-01 G06F-17/30 (C, R, I); 2006-01-01 G06T-11/80 (A, R, L, I); 2006-01-01 G06T-11/80 (C, R, L, I); 2006-01-01 G06T-3/00 (C, R, L, I); 2006-01-01 G06T-3/60 (A, R, L, I); 2006-01-01 G11B-27/031 (C, R, L, I); 2006-01-01 G11B-27/034 (A, R, L, I); 2006- 01-01 G11B-27/10 (A, R, L, I); 2006-01-01 G11B-27/10 (C, R, L, I); 2006-01-01 G11B-27/32 (A, R, L, I); 2006-01-01 G11B-27/32 (C, R, L, I); 2006-01-01 G11B-27/34 (A, R, L, N); 2006-01-01 G11B-27/34 (C, R, L, N); 2006-01-01 H04N-5/907 (A, R, L, I); 2006-01-01 H04N-5/907 (C, R, L, I); 2006-01-01 H04N-5/937 (A, R, L, I); 2006-01-01 H04N-5/937 (C, R, L, I)

END OF DOCUMENT